

AMENDED

No. 57336

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAR 25 1992 NEW PRIORITY DATE: MAR 7 1995

Returned to applicant for correction APR 23 1992

Corrected application filed MAY 07 1992

Map filed MAY 07 1992

The applicant Saint Martin's in the Desert Episcopal Church

P.O. Box 1385, of Pahrump
Street and No. or P.O. Box No. City or Town

Nevada 89041, hereby make^s application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.10 CFS second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.

3. The water to be used for commercial and domestic use.
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.

(b) Stockwater, state number and kinds of animals to be watered.

(c) Other use (describe fully under No. 12. "Remarks") Church

(d) Power:

(1) Horsepower developed.

(2) Point of return of water to stream.

5. The water is to be diverted from its source at the following point located within the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of
Describe as being within a 40-acre subdivision of public
Section 9, T20S, R53E, MDB&M Nye County, Nevada; or at a point from which the
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. Northwest corner of said section
9 bears N 81° 06' 18" W a distance of 2071.64 feet.

6. Place of use being a portion of the N $\frac{1}{2}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 9, T20S, R53E, MDB&M Nye
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
County Nevada and being Lot 320 of Cal Vegas Ranchos Unit D. Containing 0.93
acres⁺.

7. Use will begin about January 1st and end about December 31st, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well with casing 150 feet⁺ deep, 1 $\frac{1}{2}$ HP
State manner in which water is to be diverted, i.e. diversion structure, ditches and
submersible pump with 80 gallon pressure tank.
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works.....\$7500.00

10. Estimated time required to construct works.....existing well with casing 150 feet deep. 1 year
If well completed, describe works.
 for remainder of work.

11. Estimated time required to complete the application of water to beneficial use.....3 years.

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Water to be used for a church and not to exceed 750,000 gallons annual consumption.

By s/Charles L. Thomsen, agent
P. O. Box 2317
Pahrump, Nevada 89041

Compared bc/ bc ab/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to

exceed.....0.05 cubic feet per second, but not to exceed 2.30
 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....September 24, 1994

Proof of completion of work shall be filed before.....October 24, 1994

Application of water to beneficial use shall be filed on or before.....September 24, 1996

Proof of the application of water to beneficial use shall be filed on or before.....October 24, 1996

Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....APR 12 1996

Proof of beneficial use filed.....NOV 13 2000

Cultural map filed.....

Certificate No. 15676 Issued JAN 30 2001

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
 State Engineer of Nevada, have hereunto set my hand and the seal of my
 office, this.....24th day of.....September

A.D. 1993

By: Christine Thiel, P.E. State Engineer
Deputy State Engineer

CANCELLED JAN 12 1995 BECAUSE OF FAILURE
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

Michael Turnipseed P.E.
 STATE ENGINEER

Cancelled 3/7/95